



Ness LLC Proposal for: 1602 Southside Blvd. Nampa, Idaho 83686

March 18, 2020

#### What to expect with a Mold Remediation Project:

- ✓ Access is key! We will need admission Monday through Friday, 8 am 5 pm while the project is in progress. Ness is bonded and insured. It is not necessary for a home owner to be present while the work is being done. If you are comfortable with it, please make sure we have a house key or garage code for entry. The easier the access is for our technicians, the faster the job goes!
- $\checkmark$  All access to the affected areas will be protected by plastic sheeting during work.
- ✓ Mold remediation will typically take 5-7 days and sometimes up to 14 workings days, depending on the scope of work and scheduling.
- ✓ We don't always schedule for consecutive days. This is a normal part of our process. Fans may need to run an extra day or two to dry down surfaces and atmosphere.
- ✓ If a signed copy of the contract is returned within 24 hours, we will be able to fit this into the schedule right away, due to a cancellation.







Jason Richardson, 208-989-9245 jrichardson@datatelco.com 1-22-2020

Page 2 of 3

# RESTORATION PROPOSAL for the attic at 1602 Southside Blvd. Nampa, Idaho 83686

# Ness, LLC is an IICRC council certified Mold Remediation Contractor, licensed, bonded, and insured with mold and environmental pollution endorsements.

As requested, the attic was inspected for mold. Remediation is recommended as there appears to be microbial growth on the roof sheathing, gable wall and around the bath fan connector.

#### Part 1: Attic Remediation

- **1.** All access to the attic will be protected during work.
- 2. The furnace system is to remain off during the work and for 3 hours after each treatment.
- **3**. Establish negative air flow. This will be ongoing during the project.
- 4. Set up additional negative air, as needed.
- 5. Surface cleaning and abrasion removal, as needed and treat impacted roof sheathing and top cords.

## (See Part 2)

## Part 2: Microbial Growth Remediation

- 1. After containment is set up, then surface cleaning and abrasive removal as needed of visible microbial growth on the impacted roof sheathing and gable wall. Once mold impacted surfaces are cleaned, we will then treat the remediated surfaces in the attic with a non-toxic Microbial Growth Inhibitor.
- 2. (1) Procedures are established from IICRC S520 Standard and Reference Guide for Professional Mold Remediation. (2) All work in the attic will be performed using accepted procedures. (3) Respiratory Protection is in accordance with the OSHA respiratory protection standard (29 CFR 1910.134) for the remediation. Gloves, full-face respirators, p-100 particulate filters, Tyvek full body suits with hoods and boots.
- **3.** Photo documentation of work performed is available at the end of the project upon prior request. Disposal of debris.

## Total Labor & Materials Parts 1-2 = \$1,178.32





Jason Richardson

3-18-2020

Page 3 of 3

<b>Part 3: Mandatory</b> 3 <sup>rd</sup>	Party Certified mold inspector's visual inspection and	l documentation the attic.
<b>**Final Clearance Air</b>	• Testing not included in protocol or scope**	<b>Part 3 ADD to Total = \$185.00</b>

>> Paid out of closing as long as closing is within 21 days of job completion or 50% down and 50% paid upon completion << >> 3% charge on credit card transactions <<

Parts 1-2 Accepted by:		Date	
Part 3 Accepted by:		Date	
Please Indicate Payment Schedule: (check option)	50/50	Out of Closing	
Please print name:			
When accepted, <b>please sign, fax or scan and send back to fax 461-9505 or ty@nessllc.com</b> Douglas A. Ness (CMRS) -Idaho Contractor Registration# RCE-481			

Ness LLC give a <u>5 year limited warranty</u> on no visible microbial re-growth where work is done. Warranty is void if any water or water source introduced into the area.