



Ness LLC Proposal for: 2323 Marble Front Rd. Caldwell, Idaho 83605

11-14-2020

What to expect with a Mold Remediation Project:

- ✓ Access is key! We will need admission Monday through Friday, 8 am 5 pm while the project is in progress. Ness is bonded and insured. It is not necessary for a home owner to be present while the work is being done. If you are comfortable with it, please make sure we have a house key or garage code for entry. The easier the access is for our technicians, the faster the job goes!
- \checkmark All access to the affected areas will be protected by plastic sheeting during work.
- ✓ Mold remediation will typically take 5-7 days and sometimes 5-10 workings days, depending on the scope of work and scheduling.
- ✓ We don't always schedule for consecutive days. This is a normal part of our process. Fans may need to run an extra day or two to dry down surfaces and atmosphere. We try to give as much motive as possible but last minute schedule changes can and do occur.
- ✓ Please Note: If a signed contract is returned within 24 hours, our estimated start date will be during the week of <u>Nov. 16th.</u>







Joe Cardenas, Rudy Rodriguez rudyrealty@gmail.com

11-14-2020

Page 2 of 3

<u>RESTORATION PROPOSAL for the Attic and Crawl Space at 2323 Marble Front Rd. Caldwell, Idaho 83605</u> Ness, LLC is an IICRC council certified Mold Remediation Contractor, licensed, bonded, and insured with mold and environmental pollution endorsements.

As requested, the attic and crawlspace were inspected for mold. Remediation will be necessary in the attic as there appears to be sporadic microbial growth throughout the attic on the roof sheathing. There also appears to be microbial growth in the crawlspace under the bathroom plumbing and on the floor joists in various areas. The vapor barrier is in good condition and does not need to be

replaced. We will fold it back to avoid damage when performing remediation and reposition after treatment. **Work needs to be performed when outside temperatures are, at least, above 32 degrees. To prevent the treatment from freezing.**

Part 1: Attic Remediation

- 1. All access to the attic will be protected during work.
- 2. The furnace system is to remain off during the work and for 3 hours after each treatment.
- 3. Establish negative air flow. This will be ongoing while the work is performed.
- 4. Surface cleaning and abrasion removal, as needed and treat impacted roof sheathing. (See Part 2)
- 5. The furnace system is to remain off during the work and for 3 hours after each treatment.
- 6. Seal all penetrations that are accessible.

Part 2: Microbial Growth Remediation

- 1. After containment is set up, then surface cleaning and abrasive removal as needed of visible microbial growth on the before mentioned affected areas. Once mold impacted surfaces are cleaned then, treat the remediated surfaces in the attic with a non-toxic Microbial Growth Inhibitor.
- (1) Procedures are established from IICRC S520 Standard and Reference Guide for Professional Mold Remediation. (2) All work in the attic will be performed using accepted procedures. (3) Respiratory Protection is in accordance with the OSHA respiratory protection standard (29 CFR 1910.134) for the remediation. Gloves, full-face respirators, p-100 particulate filters, Tyvek full body suits with hoods and boots.
- 3. Photo documentation of work performed is available at the end of the project upon request previous to the start of the project.
- 4. Disposal of debris.

Total Labor & Materials Parts 1-2: \$992.16

Part 3: Crawlspace Remediation

- 1. All access to the crawlspace will be protected during work.
- 2. Containment will be set at the crawlspace access.
- 3. Hepa filtered negative air flow will be ongoing during the project.
- 4. The furnace system is to remain off during the work and for, at least, 3 hours after each treatment.
- 5. Surface cleaning and abrasive removal, as needed, of visible microbial growth on the impacted floor joists and the floor decking under the bathroom. (See Part 4)
- 6. Clear all foundation vents of any insulation or debris that may be obstructing air flow.

Part 4: Microbial Growth Remediation

- 1. After containment is set up, perform surface cleaning and abrasive removal, as needed, of visible microbial growth on the impacted floor decking and joist. Once mold impacted surfaces are cleaned, then treat the remediated surfaces in the crawlspace with a non-toxic Microbial Growth Inhibitor.
- 2. (1) Procedures are established from IICRC S520 Standard and Reference Guide for Professional Mold Remediation. (2) All work in the crawlspace/basement will be performed using accepted procedures. (3) Respiratory Protection is in accordance with the OSHA respiratory protection standard (29 CFR 1910.134) for the remediation. Gloves, full-face respirators, p-100 particulate filters, Tyvek full body suits with hoods and boots.
- 3. Photo documentation of work performed is available at the end of the project upon request. Disposal of debris.

Total Labor & Materials Parts 3-4: \$2,159.12

Douglas A. Ness (CMRS) -Idaho Contractor Registration# RCE-481

Ness LLC give a <u>5-year limited warranty</u> on no visible microbial re-growth where work is done. Warranty is void if any water or water source introduced into the area.

Work under this proposal is limited to the items listed. Any additional work will need to be outlined and set out by a separate contract, or have the contract amended and signed to reflect any additional work desired.





Joe Cardenas, Rudy Rodriguez

11-14-2020

Page 3 of 3

Part 5: Optional: 3rd Party Certified mold inspector's visual inspection and documentation. **Final Clearance Air testing not included in protocol or scope. **

Total Part 3: \$210.00

>> Paid out of closing as long as closing is within 21 days of job completion or 50% down and 50% paid upon completion << >> 3.5% charge on credit card transactions <<

Parts 1-2 Accepted by:		Date	
Parts 3- 4 Accepted by:		Date	
Part 5 Accepted by:		Date	
Please Indicate Payment Schedule: (check option)	50/50	Out of Closing	
Please print name:			

Douglas A. Ness (CMRS) -Idaho Contractor Registration# RCE-481

Ness LLC give a <u>5-year limited warranty</u> on no visible microbial re-growth where work is done. Warranty is void if any water or water source introduced into the area.

Work under this proposal is limited to the items listed. Any additional work will need to be outlined and set out by a separate contract, or have the contract amended and signed to reflect any additional work desired.